



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORBIDITY AND MORTALITY—Continued

*Morbidity and mortality table, cities of the United States for week ended December 17, 1910—Continued*

Cities	Total deaths from all causes	CASES AND DEATHS											
		Tuber- culosis		Ty- phoid fever		Scarlet fever		Diph- theria		Measles		Whoop- ing cough	
		Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
New Bedford, Mass.	27	4	1	3		4		3	1			1	
Newburyport, Mass.	9							5		2			
New Orleans, La.	135	32	17	4	3	24		10		26			
Newport, Ky.	6							3	1				
Newton, Mass.	11	2			1			4		4			
New York, N. Y.	1,537	611	151	63	9	248	14	258	23	179	5	72	5
Niagara Falls, N. Y.	9		1	2	1			3	1	1			
Norristown, Pa.	8							1	1				1
North Adams, Mass.	6					2		1		5		2	
Northampton, Mass.	8												
Orange, N. J.	18	6	5	2		9				1			
Palmer, Mass.	6					1		1		1			
Peekskill, N. Y.	4	1		4		1						3	
Philadelphia, Pa.	534	85	42	20	5	33	3	104	19	156	8	11	3
Pittsfield, Mass.	10	1								40	2	3	
Plainfield, N. J.	5							3	3				
Portsmouth, N. H.				3									
Portsmouth, Va.	8					2		1		1			
Pottstown, Pa.	3			1		3							
Providence, R. I.	73	8	7		1	8	1	9	3				
Reading, Pa.	32	1	1	4		5		2		6		3	
Rock Island, Ill.	9	1	1	1				2					
Rutland, Vt.	6							3				2	
St. Louis, Mo.	223	42	15	13	1	66	2	47	1	110	1	6	
Salt Lake City, Utah.	35			1	2	11		16	2	10	1		
Schenectady, N. Y.	18	4				1		3		3		2	
Somerville, Mass.	22		1	1		1	1	4		1			
South Bend, Ind.	12		2			2				1			
South Bethlehem, Pa.	6			1				2	1	1			
Springfield, Mass.	31	4	2					1		1		5	2
Steelton, Pa.	3	7	1					1	1				
Superior, Wis.	12		1		3			1					
Taunton, Mass.	12	1	1					1					
Terre Haute, Ind.	19	1	4	1		6		2		1			
Toledo, Ohio.	53		7	9	2	7		19	1	1			
Topeka, Kans.					1								
Trenton, N. J.	4	3	3	3	1	9		4					
Waltham, Mass.	8		1	2						1			
Washington, D. C.	126	16	17	14		6		4		6		1	
Wichita, Kans.	20		1			2		5	1				
Wilkes-Barre, Pa.	27	4	1	1	1	4		9					
Wilkinsburg, Pa.	8	1	1	1									
Williamsport, Pa.	9			1		1							
Wilmington, Del.	27		1		1			2					
Woburn, Mass.	3			2		1							
Worcester, Mass.	50	5	2	1				12	1	3		3	1
Yonkers, N. Y.	21				1	10		5		1			1
York, Pa.				5		1		7		2			

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated)**

COLORADO—*Colorado Springs*.—Month of September, 1910. Population, 539,700. Total number of deaths from all causes 29, including tuberculosis 12. Cases reported: Typhoid fever 8, scarlet fever 10. Month of October, 1910. Total number of deaths 39, including typhoid fever 2, tuberculosis 7. Cases reported: Typhoid fever 4, measles 3, diphtheria 1, scarlet fever 6.

FLORIDA.—Week ended December 17, 1910. Reports from the State board of health show typhoid fever present in 4 localities with 6 cases, smallpox in 12 counties (Calhoun, Duval, Escambia, Gadsden, Hillsborough, Jackson, Leon, Manatee, Madison, Orange, Putnam, and Washington) with 35 cases, diphtheria in 3 localities with 3 cases, malaria in 4 localities with 31 cases, tuberculosis in 5 localities with 7 cases.

INDIANA.—Month of October, 1910. Population, 2,732,550. Total number of deaths from all causes 2,761, including typhoid fever 159, diphtheria 46, tuberculosis 326. Cases reported: Typhoid fever 701 in 78 counties, smallpox 2 in 2 counties (DeKalb and Wayne), diphtheria 441 in 52 counties.

IOWA.—Month of November, 1910. Population, 2,192,608. Total number of deaths from all causes 1,620, including typhoid fever 35, measles 1, scarlet fever 10, diphtheria 23, tuberculosis 104.

Dubuque.—Month of November, 1910. Population, 47,585. Total number of deaths from all causes 45, including typhoid fever 1, diphtheria 2, tuberculosis 1. Cases reported: Typhoid fever 4, scarlet fever 4, diphtheria 16.

NEW YORK.—Month of October, 1910. Population, 8,871,720. Total number of deaths from all causes 10,942, including typhoid fever 170, measles 12, scarlet fever 53, diphtheria 122, pellagra 1, tuberculosis 1,210. Cases reported: Typhoid fever 1,293, smallpox 1, measles 722, scarlet fever 924, diphtheria 1,509, tuberculosis 2,684.

NORTH DAKOTA.—Month of November, 1910. Population, 536,103. Total number of deaths from all causes 273, including typhoid fever 1, diphtheria 1, tuberculosis 1. Cases reported: Typhoid fever 42, smallpox 5, measles 4, scarlet fever 29, diphtheria 41, tuberculosis 2.

OHIO—*Youngstown*.—November 15–30, 1910. Population, 56,413. Total number of deaths from all causes 40, including measles 1, diphtheria 1. Cases reported: Typhoid fever 2, measles 1, scarlet fever 6, diphtheria 13.

December 1–15, 1910. Population, 56,413. Total number of deaths from all causes 48, including typhoid fever 2, scarlet fever 3, diphtheria 5. Cases reported: Typhoid fever 1, measles 1, scarlet fever 7, diphtheria 19.

OKLAHOMA—*Watonga*.—Month of November, 1910. Population, 20,000. Total number of deaths from all causes 10, including typhoid fever 1. Cases reported: Typhoid fever 8, smallpox 1, scarlet fever 1, diphtheria 1, tuberculosis 1.

OREGON—*Portland*.—Month of October, 1910. Population, 265,000. Total number of deaths from all causes 202, including typhoid fever 5, diphtheria 1, tuberculosis 19. Cases reported: Typhoid fever 10, smallpox 7, measles 8, scarlet fever 20, diphtheria 41, tuberculosis (pulmonary) 27.

PENNSYLVANIA.—Reports from the State board of health show as follows:

*Morbidity.*—Month of August, 1910. The total number of deaths reported was 10,879, including typhoid fever 199, scarlet fever 70, diphtheria 136, measles 73, whooping cough 188, influenza 7, malarial fever 5, tuberculosis of the lungs 667, tuberculosis of other organs 129, cancer 438, diabetes 44, meningitis 64, infantile paralysis 58, pneumonia 427, diarrhea and enteritis under 2 years 2,415, diarrhea over 2 years 335, Bright's disease 461, early infancy 798, suicide 82, accidents in mines and quarries 58, railway injuries 119, other forms of violence 454.

*Morbidity.*—Month of September, 1910. Cases of communicable diseases were reported as follows: Anterior poliomyelitis 378, anthrax 1, cerebrospinal meningitis 16, chickenpox 61, diphtheria 1,165, epidemic dysentery 11, erysipelas 53, German measles 12, hydrophobia 1, malarial fever 3, measles 421, mumps 72, pneumonia 177, puerperal fever 7, scarlet fever 596, smallpox 6, tetanus 16, trachoma 62, tuberculosis 1,133, typhoid fever 2,637, whooping cough 956. Total, 7,803.

TEXAS—*Fort Worth.*—Month of October, 1910. Population, 60,000. Total number of deaths from all causes 113, including typhoid fever 6, pellagra 1, scarlet fever 1, tuberculosis 4. Cases reported: Typhoid fever 8, measles 1, scarlet fever 4, diphtheria 10, tuberculosis 4.